ELSEVIER

Sensors and Actuators A 48 (1995) 251

SENSORS AND ACTUATORS A PHYSICAL

Author Index of Volume A 48

Arita, K., 73

Baer, W.G., 47
Barycka, I., 229
Benes, E., 1
Blind, P., 145
Bonne, U., 187
Bourquin, R., 109
Breguet, J., 29
Brenci, M., 23
Brewer, L., 187
Brooks, K., 157
Burger, W., 1
Burns, D.W., 179
Bynum, O.W., 187

Cole, B.E., 193
Crawforth, L., 221

Dulmet, B., 109

Fan, L.S., 215, 221
Friemann, H., 37
Froelicher, M., 145
Frühauf, J., 151

Gakkestad, J., 63
Garcia, E.J., 203
Garcia-Valenzuela, A., 87
Gaudriot, L., 145
Gisin, N., 29
Gösele, U., 117
Gröschl, M., 1
Guckel, H., 179
Guzzi, D., 23

Halbo, L., 63
Han, C.J., 193
Hashimoto, K., 73
Hauden, D., 145
Herb, W.R., 179
Higashi, R.E., 193
Hoen, S., 215
Hoffman, D.W., 187
Horning, R.D., 179

Kawaguri, M., 73
Kholkin, A., 157
Kohli, M., 157
Kovalchuk, A., 187
Kuehnel, W., 101
Kuisma, H., 239

Lahdenperä, J., 239
Li, Z., 81, 137
Liu, L., 81, 137
Logothetis, E.M., 187
Loke, Y., 55
Luthier, R., 157
Lutwyche, M.I., 127

Maeder, T., 157
Mamin, H.J., 215
Martini, T., 117
McKinnon, G., 55
Mencaglia, A., 23
Meng, Z., 169
Mignani, A.G., 23
Morinaka, K., 73
Muralt, P., 157

Najafi, K., 47
Ning, Y., 55
Nishino, A., 73

Ohlckers, P., 63

Pellaux, J.P., 29
Pieraccini, M., 23
Prescher, C., 37

Reiche, M., 117
Richard, M.A., 187
Ridley, J., 193
Rimai, L., 187
Rugar, D., 215
Ryhänen, T., 239

Schellin, R., 37
Schmid, M., 1
Setter, N., 157
Shibanova, N., 109
Sniegowski, J.J., 203
Soltis, R.E., 187
Steinmann, R., 37
Sun, X.-Q., 81

Tabib-Azar, M., 87
Tirole, N., 145
Tong, Q.-Y., 117
Toth, R.S., 47

Veijola, T., 239
Visser, J.H., 187

Wada, Y., 127
Wise, K.D., 47
Woodman, S.J., 221

Yoshiike, N., 73

Zanini, M., 187
Zhu, X., 169
Zielke, D., 151
Zook, J.D., 179
Zou, Q., 137
Zubel, I., 229

Elsevier Science S.A.

ELSEVIER

Sensors and Actuators A 48 (1995) 252–254

SENSORS AND ACTUATORS A PHYSICAL

Subject Index of Volume A 48

Acceleration sensors
  modelling of the mechanical behaviour of a differential capacitor acceleration sensor, 101
Accelerometers
  equivalent-circuit model of the squeezed gas film in a silicon accelerometer, 239
Acoustic sensors
  sensors based on piezoelectric resonators, 1
Actuators
  operational principle, fabrication and displacement characteristics of a functionally gradient piezoelectric ceramic actuator, 169
Anisotropic etching
  silicon anisotropic etching in KOH–isopropanol etchant, 229
Aspect ratios
  integrated multilayer high aspect ratio milliactuators, 221

Cantilevers
  tip-based data storage using micromechanical cantilevers, 215
CMOS circuits
  effects of process variations in a CMOS circuit for temperature compensation of piezoresistive pressure sensors, 63
Comparative sensor studies
  sensing means and sensor shells: a new method of comparative study of piezoelectric, piezoresistive, electrostatic, magnetic, and optical sensors, 87
Cryogenics
  512×512 Infrared cryogenic scene projector arrays, 193

Data storage
  tip-based data storage using micromechanical cantilevers, 215
Displacement sensors
  sensing means and sensor shells: a new method of comparative study of piezoelectric, piezoresistive, electrostatic, magnetic, and optical sensors, 87
Displays
  512×512 Infrared cryogenic scene projector arrays, 193

Effective viscosity
  equivalent-circuit model of the squeezed gas film in a silicon accelerometer, 239
Electrostatic microactuator
  three-dimensional silicon electrostatic linear microactuator, 145
Equivalent-circuit models
  equivalent-circuit model of the squeezed gas film in a silicon accelerometer, 239
Etch rates
  determination of rates for orientation-dependent etching, 151

Force sensors
  frequency-output force sensor using a multimode doubly rotated quartz resonator, 109

Frequency-output sensors
  frequency-output force sensor using a multimode doubly rotated quartz resonator, 109
Frequency sensors
  sensors based on piezoelectric resonators, 1
Functionally gradient materials
  operational principle, fabrication and displacement characteristics of a functionally gradient piezoelectric ceramic actuator, 169
Fuzzy inference
  human information sensor, 73

Gas sensors
  fabrication and properties of a Si-based high-sensitivity microcalorimetric gas sensor, 187

Hermite polynomials
  mechanical behaviour of micromachined sensor membranes under uniform external pressure affected by in-plane stresses using a Ritz method and Hermite polynomials, 37
High *g*-forces
  fabrication and characterization of high *g*-force, silicon piezoresistive accelerometers, 55
Human information
  human information sensor, 73

Infrared
  512×512 Infrared cryogenic scene projector arrays, 193
Infrared sensor
  human information sensor, 73
Integrated metal structures
  integrated multilayer high aspect ratio milliactuators, 221

Mechanical modelling
  modelling of the mechanical behaviour of a differential capacitor acceleration sensor, 101
Microactuators
  integrated multilayer high aspect ratio milliactuators, 221
Microcalorimetry
  fabrication and properties of a Si-based high-sensitivity microcalorimetric gas sensor, 187
Microemitters
  512×512 Infrared cryogenic scene projector arrays, 193
Microengines
  surface micromachined microengine, 203
Micromachined sensor membranes
  mechanical behaviour of micromachined sensor membranes under uniform external pressure affected by in-plane stresses using a Ritz method and Hermite polynomials, 37
Micromachined sensors
  fabrication and properties of a Si-based high-sensitivity microcalorimetric gas sensor, 187

Elsevier Science S.A.

Micromachining
a 32-element micromachined thermal imager with on-chip multiplexing, 47
new methods for measuring mechanical properties of thin films in micromachining: beam pull-in voltage (V_{PI}) method and long beam deflection (LBD) method, 137
Micromechanical scanning tunnelling microscopes
manufacture of micromechanical scanning tunnelling microscopes for observation of the tip apex in a transmission electron microscope, 127
Micromechanics
tip-based data storage using micromechanical cantilevers, 215
Micromotor rotation
the on-chip detection of micromotor rotational speed, 81
Micromotors
fabrication and characterization of PZT thin-film vibrators for micromotors, 157
integrated multilayer high aspect ratio milliactuators, 221
Microstructure
512×512 Infrared cryogenic scene projector arrays, 193
Milliactuators
integrated multilayer high aspect ratio milliactuators, 221
Monodisperse particulates
an optical-fiber sensor for the measurement of the size and density of monodisperse particulates, 23

On-chip detection
the on-chip detection of micromotor rotational speed, 81
On-chip multiplexing
a 32-element micromachined thermal imager with on-chip multiplexing, 47
Optical-fiber sensor
an optical-fiber sensor for the measurement of the size and density of monodisperse particulates, 23
Optical microphones
photoacoustic detection of trace gases with an optical microphone, 29
Orientation-dependent etching
determination of rates for orientation-dependent etching, 151

Photoacoustics
photoacoustic detection of trace gases with an optical microphone, 29
Piezoelectric ceramics
operational principle, fabrication and displacement characteristics of a functionally gradient piezoelectric ceramic actuator, 169
Piezoelectric resonators
sensors based on piezoelectric resonators, 1
Piezoelectrics
fabrication and characterization of PZT thin-film vibrators for micromotors, 157
Piezoresistive accelerometers
fabrication and characterization of high *g*-force, silicon piezoresistive accelerometers, 55
Piezoresistive sensors
effects of process variations in a CMOS circuit for temperature compensation of piezoresistive pressure sensors, 63
Pin-joints
integrated multilayer high aspect ratio milliactuators, 221
Platinum resistance thermometers
fabrication and properties of a Si-based high-sensitivity microcalorimetric gas sensor, 187
Polysilicon
sealed-cavity resonant microbeam pressure sensor, 179
Potassium hydroxide–isopropanol etchant
silicon anisotropic etching in KOH–isopropanol etchant, 229
Pressure sensors
effects of process variations in a CMOS circuit for temperature compensation of piezoresistive pressure sensors, 63
sealed-cavity resonant microbeam pressure sensor, 179
PZT
fabrication and characterization of PZT thin-film vibrators for micromotors, 157

Quartz
ultrathin single-crystalline silicon on quartz (SOQ) by 150 °C wafer bonding, 117
Quartz resonators
frequency-output force sensor using a multimode doubly rotated quartz resonator, 109

Resonant microbeams
sealed-cavity resonant microbeam pressure sensor, 179
Ritz method
mechanical behaviour of micromachined sensor membranes under uniform external pressure affected by in-plane stresses using a Ritz method and Hermite polynomials, 37

Sensing means
sensing means and sensor shells: a new method of comparative study of piezoelectric, piezoresistive, electrostatic, magnetic, and optical sensors, 87
Sensor shells
sensing means and sensor shells: a new method of comparative study of piezoelectric, piezoresistive, electrostatic, magnetic, and optical sensors, 87
Silicon
fabrication and characterization of high *g*-force, silicon piezoresistive accelerometers, 55
three-dimensional silicon electrostatic linear microactuator, 145
silicon anisotropic etching in KOH–isopropanol etchant, 229
Single-crystalline silicon
ultrathin single-crystalline silicon on quartz (SOQ) by 150 °C wafer bonding, 117
Slip flow
equivalent-circuit model of the squeezed gas film in a silicon accelerometer, 239
Squeezed gas films
equivalent-circuit model of the squeezed gas film in a silicon accelerometer, 239
Stress-measurement methods
new methods for measuring mechanical properties of thin films in micromachining: beam pull-in voltage (V_{PI}) method and long beam deflection (LBD) method, 137
Surface micromachining
surface micromachined microengine, 203

Temperature compensation
effects of process variations in a CMOS circuit for temperature compensation of piezoresistive pressure sensors, 63
Thermal imagers
a 32-element micromachined thermal imager with on-chip multiplexing, 47

Thin films
new methods for measuring mechanical properties of thin films in micromachining: beam pull-in voltage (V_{PI}) method and long beam deflection (LBD) method, 137
Thin-film vibrators
fabrication and characterization of PZT thin-film vibrators for micromotors, 157
Trace gas detection
photoacoustic detection of trace gases with an optical microphone, 29
Transmission electron microscopes
manufacture of micromechanical scanning tunnelling microscopes for observation of the tip apex in a transmission electron microscope, 127
Wafer bonding
ultrathin single-crystalline silicon on quartz (SOQ) by 150 °C wafer bonding, 117